

DomusLift
ENGLISH

made in
Italy

HOISTWAY
Elevating Expectations
WWW.HOISTWAY.CO.UK



DOMUSLIFT®
YOUR PERSONAL LIFT



Free from stairs

DomusLift is the IGV Group outstanding and successful homelift, ideal for vertical transport requirements and for overcoming architectural barriers in both public and private buildings.

It is the ideal solution for elderly persons and those with impaired mobility who gain independence and freedom from stairs.

The automatic sliding doors, available on request as an option instead of the standard panel landing door, offer a user-friendly use just like any traditional lift.

The wide choice of accessories and finishes, together with S and XS versions, conceived for small spaces, and XL, designed for wide cars, makes DomusLift ideal for any requirements.

DomusLift perfectly fits any new or existing environment, while adding value to it.

10 good reasons for choosing DomusLift:

- Overcomes architectural barriers
- Compact, quiet and easy to install
- Power consumption like any household electrical appliance
- Connects to any electrical 230V outlet
- More than 50 models, for indoor and outdoor
- Standard panoramic glass door
- Reduced maintenance costs
- 3-year warranty
- Customised product
- 100% Made in Italy







Elegance and style

The special models MADE WITH SWAROVSKI ELEMENTS, Liberty with Trend mosaic, Light-Touch by Giugiaro Architettura, Leather, Carbon, Chrome, Classic and Art Line, add exclusive style and elegance, while enhancing any environment.

DomusLift is a 100% Made in Italy product, guaranteeing state-of-the-art technology by IGV Group. IGV Group is a company with headquarters in Milan (Italy). The company has had a leading role in the design and manufacturing of lifts and lifting platforms since 1966.







A user-friendly home

AS SIMPLE AS THAT

DomusLift quick installation procedure requires minimum builder's work, thanks to the reduced pit and headroom. The installation also needs limited regulatory approval and benefits from reduced maintenance costs and low energy consumption by using the standard household 230V outlets.

SAFETY

The car is enclosed on three sides and the infrared barrier on the access side guarantees passengers' safety. The enabling key on the pushbutton panels prevents the use from unauthorised persons. In case of power failure, an automatic controlled device brings the car back to the landing and allows the exit of passengers.

ACCESSIBILITY

DomusLift offers a choice of extremely functional and customisable solutions with special accessories, such as the powered door opening and landing calls. DomusLift is an affordable solution ideal for those with impaired mobility or special needs.

VERSATILE

DomusLift is a truly all-around product, designed and manufactured to meet a wide range of needs and tastes. From the garage to the roof, DomusLift travels effortlessly up to seven floors.





Indoor and outdoor

ALUMINIUM SHAFT STRUCTURE

The aluminium shaft structure is exceptionally light and robust allowing to place DomusLift anywhere, even outdoor. It guarantees an enhanced usability of spaces without affecting the architectural context.

The structure is supplied as standard, the aluminium structure does not require any surface processing, it does neither deform, nor require any maintenance and it is weather-proof and does not change over the time.





MASONRY SHAFT

DomusLift can also be installed within your house in a special masonry or reinforced concrete shaft.





EXISTING BUILDINGS

Thanks to its versatility and flexibility, DomusLift is suitable also for the most challenging situations and allows the installation in any architectural context, both in new and existing buildings, buildings with historical constraints or featuring very narrow stair flights or reduced spaces.





Public places

DomusLift is the ideal solution for complete mobility within public and working areas. Thanks to DomusLift, shops and restaurants, shopping centres, offices, hotels and factories offer easy access to all levels.

Installation flexibility, large service capacity and elegant aesthetics are just some of the DomusLift key features.





Eco-sustainability

IGV Group focuses on energy saving and is fully committed to the safeguard of the natural environment.

DomusLift, the eco lifting platform, features a LED technology for the car lighting and is available in two versions: traction with inverter gearless motor for maximum performance and reduced consumptions, and hydraulic, with 100% biodegradable green oil (upon request).

DomusLift has been awarded the prestigious international certification of **Class A** energy efficiency by the certification bodies: TÜV SÜD and IMQ.





XS Extra-Small

XS, the slimmest DomusLift ever. The new and extremely narrow DomusLift model is designed to fit the smallest shafts thanks to its extremely reduced dimensions. Shaft structure dimensions start from 65 x 91 cm.



S Small

The S series allows the installation of DomusLift even in the narrowest shafts. The minimum car dimensions guarantee enough space for a trouble free movement. An elegant and refined solution, thanks to seamless single panel walls without aluminium profile, a wide range of finishes (plastic, painted and stainless steel laminate) and the same accessories as the standard model.



XL Extra-Large

Thanks to the car maximum dimensions up to 1200 x 1500 mm, the XL series offers plenty of space and high rated load. Also available with all-glass panels, guide rails wall excluded, up to three adjacent entrances.



DomusLift with automatic doors

The DomusLift range grows thanks to the chances offered by the European Machinery Directive 2006/42/EC. DomusLift is also available with 2-, 3- or 4-panel sliding automatic doors, featuring a reduced sill.

The use of automatic doors allows for the elimination of the 'hold-to-run' operation by replacing it with the more practical and user-friendly APB (Automatic Push Button). In case of power failure, automatic return to landing and door opening are operated.

Model with 3AT automatic doors, natural anodised aluminium shaft structure and door frame, panels finished with adhesive vinyl FA-690, landing and car SuperFlat pushbutton panels.



classic

Classic style

The DomusLift Classic range is designed for those who love the warmth and natural beauty of wood. The wood effect is obtained using a special painting method on the aluminium structure.



DomusLift Chrome

Brand new geometries with perfectly matching combinations between steel surfaces with polished and satin finishes alternating on the car walls and creating a pattern of blank and solid areas.

Model with V1 full glass door, polished anodised aluminium shaft structure and car pushbutton panel embedded in the handrail.



DOMUSLIFT®

MADE WITH
SWAROVSKI
ELEMENTS

Crystal clear

Crystal shine, transparency and elegance are combined with high tech design. A new exclusive DomusLift is born: DomusLift MADE WITH SWAROVSKI ELEMENTS, a triumph of steel, glass and precious reflections.

Designer: arch. Arianna Callocchia



Leather inner finishes

Leather is synonym of class, elegance and superior quality for interior environments and now is also available in the range of DomusLift walls, for a new concept of luxury.

Model with gold anodised aluminium shaft structure and door frame, bronze glass, Ivory leather wall and golden SuperFlat landing pushbutton panel.





DomusLift Carbon

DomusLift dresses black tie and wears new carbon-coloured finishes and a gorgeous wall made with flower decorated glass.



Artistic homelift

The Art Line is a highly artistic range. The classic stainless steel car becomes a décor component and perfectly fits any environment. It's an all-new trend compared to traditional lifts.

**ART
Line**



Model with 2AT window automatic doors, natural anodised aluminium finish for shaft structure, door frame and panels, 'Ramoc' car wall and 'Arcobaleno' floor.



**light
touch**

by **GIUGIARO**
ARCHITETTURA

High-tech design

The DomusLift elegance is further enriched with Giugiaro Architettura innovative lighting system, offering new in-car environments and atmospheres and the subtle sophistication of the touch screen control panel.



Liberty appeal

The unique Liberty mosaic made with handcrafted glass shapes lighting effects by alternating smooth and wavy, chromed and iridescent tiles, which enhance and beautify DomusLift surfaces.

by  **trend**
trend-group.com

Model with panel panoramic door, RAL 9010 painting for shaft structure, door frame and car profiles, bronze glass, car wall and floor with Liberty Amber mosaic.



Optional

LINE AND STYLE



LED lighting system embedded in the frame (only for automatic doors)



Retractable door closer



+

Endless car customisation options, thanks to the new printing technology on whatever material

COMFORT AND FEATURES



Mirror



Telephone



Enabling key



Air conditioning system



Automatic swing door opening



Voice synthesiser when stopping at a landing



Fully operational remote control

INFOTAINMENT



Touch screen device with home automation interface



Digital frame




Interactive virtual window

SAFETY



Phone alarm device or security intercom



Full-height infra-red barriers (only for automatic doors)



Flat handrail

Available in polished natural or golden anodised aluminium



Rounded handrail

Available in satin, polished or gold stainless steel



My DomusLift


EXTERIOR SHAFT STRUCTURE



CAR INTERIOR FINISHES



MASONRY SHAFT EXTERIOR FINISHES



DomusLift configurator


Browse our website www.domuslift.com and click DomusLift configurator.

A wide selection of colours and materials designed by our designers is available for the creation of the ideal DomusLift for your environment.

Car walls and finishes

COATED CHIPBOARD

Only for car inner walls



W410 - STANDARD



U116 - STANDARD



U1184 - STANDARD



U508 - STANDARD



U102 - Polished effect



U007 - Polished effect



F8110 - Aluminium effect



Edelstahl3 - Stainless steel effect



R5243 - Wood effect



F10/034 - Wood effect



R5360 - Wood effect



F06/172 - Wood effect

SKINPLATE

For car inner walls, shaft structure cladding and finishes of sliding automatic doors



DL81E - Wood effect



A90GTA



DL86 - Wood effect



M12



B32SMA



G22SMA



G21SMA



R8SME



A32PP - Polished effect



F2SMA



F42PPS - Brushed stainless steel effect



F12PPS - Polished stainless steel effect

STAINLESS STEEL

For car inner walls, shaft structure cladding and finishes of sliding automatic doors



Mirror 128



Satin 127




Leather 132



Linen 145



Chequered 131



Austenit



Blue squared 150




Polished gold 138

Car walls and finishes

PLASTIC LAMINATE

For car inner walls, shaft structure cladding and finishes of sliding automatic doors



810 - Polished effect



868 - Polished effect



475 - Polished effect



472 - Polished effect



1901



1902



1903



1904



1678 - Wood effect



1611 - Wood effect



1379 - Wood effect



1328 - Wood effect



1609 - Wood effect



358 - Wood effect



658 - Wood effect



1306 - Wood effect



2705 Marrakech Silver




2708 Marrakech Gold



2711 Marrakech Steel

VINYL FILM

For car inner wall finishes, shaft structure, complete door frame, pushbutton panels and accessories



LE-1105



FA-1099



LW-1084



VM-452



LE-1109




FA-690



WG-467



WG-947



FW-7007



WG-1147



WG-763GN - Polished effect

The colour of the original material may differ from those shown below. Contents subject to change without notice.

Car walls and finishes

LEATHER - Only for car inner walls



Ivory



Silver

LIBERTY MOSAIC - For car inner walls and car floor



Amber



Topaz



Diamond



Bronzite

GLASS - For car inner walls, shaft structure cladding and window doors



Transparent neuter



Milk white



Smoked



Smoked mirror



Bronze



Stopsol



Mirror

Other glass colours or decorative films available upon request.

Car profiles, shaft structure, door and accessories

ANODISED ALUMINIUM



Natural aluminium - STANDARD



Polished



Gold

RAL PAINTING - Other colours available



9010



7001



5023



5011




6010



3003

WOOD EFFECT PAINTING



Cherry



Decò style white

Only available for car inner profiles, shaft structure and door.

POLYESTER PAINTING



Nickel 14-091



Moka 14-100



Copper 14-092



Black 14-005

Car floor

LINOLEUM - STANDARD



Marmoleum 3861 Arabian pearl



Marmoleum 3874 Walnut



Marmoleum 3866 Eternity

PVC



Eternal 12802 Elegant oak



Eternal 11562 Tropical beech



Eternal 10492 Red oak



Eternal 10482 Rustic oak



Eternal 10382 Silver chestnut

RUBBER



Smooth grey rubber



Grey rubber with dots



Black rubber with dots

GRANIT



Granit Rocksolid 607



Granit Rocksolid 671



Granit T2402



Granit Titan Grey



Granit Cristallino 451

Car lightings

LED LAMPS



Lighting with A32PP ceiling*
STANDARD



Embedded in car profiles*



Spotlights*



Barocco lighting

HALOGEN OR FLUORESCENT LAMPS



Halogen spotlights*



Firmament



Floral

* Model with trap door available upon request.

Car pushbutton panels

WALL MOUNTED

Satin stainless steel plate - STANDARD



width 150 mm
height 299÷570 mm
depth 1.5 mm

Also available polished stainless steel or golden stainless steel.

Satin stainless steel SuperFlat



width 201 mm
height 454÷634 mm
depth 23 mm

Also available polished stainless steel or golden stainless steel.

It can be only coupled with SuperFlat landing pushbutton panel.


Upper and lower plastic caps painted in matching colours.

Satin stainless steel full-height module



width 188 mm
height 1980 mm
depth 18 mm

Also available polished stainless steel or golden stainless steel.



- 1 Model for system with no car doors and with hold-to-run control.
- 2 Model for system with car doors and automatic operation.
- 3 Optional - Model with touch screen (115 x 130 mm) available for systems with or without car doors.

EMBEDDED IN THE HANDRAIL

Natural anodised aluminium flat handrail



length 640 ÷ 1050 mm
height 168 mm
depth 70 mm

Also available polished or golden anodised aluminium, with RAL painting or polyester painting.

Side plastic caps painted in matching colours.

Polished stainless steel rounded handrail



length 473 ÷ 1235 mm
height 90 mm
depth 120 mm

Available only in polished stainless steel.

Landing pushbutton panels

Satin stainless steel plate - STANDARD



width 80/85 mm
height 260 ÷ 320 mm
depth 1.5 mm

Also available polished stainless steel or golden stainless steel.

Satin stainless steel SuperFlat



width 101 mm
height 230 ÷ 430 mm
depth 23 mm

Also available polished stainless steel or golden stainless steel.

It can be only coupled with SuperFlat landing pushbutton panel.

Upper and lower plastic caps painted in matching colours.


Display



ICARO

(74 x 70 x 2 mm)


Available for systems with or without car doors. For landing pushbutton panel, plate, SuperFlat and full-height module.



TRICOLOR

(83 x 150 x 5 mm)

Available for systems with or without car doors. For SuperFlat, full height module and pushbutton panel embedded in the aluminium flat handrail.



Pushbuttons



20.10 - STANDARD
(37 x 50 mm)



NEW
(37 x 50 mm)
From January 2015



(55 x 55 mm)

MAXI

Available for module, pushbutton panels embedded in the handrail and standard landing pushbutton panels.

Landing and car doors

SWING LANDING DOORS



B-BT - STANDARD PANORAMIC ALUMINIUM

Natural anodised aluminium door with ample glass or coated chipboard window. Standard door closer.

FINISHES

- Golden, polished or natural anodised aluminium
- Painting (RAL, wood effect and polyester)



C BLIND IRON

Primed metal door RAL 7001. Retractable door closer.

Fire-rated doors:
EI 120, EI 60, DIN

FINISHES

- RAL painting



D WINDOW IRON

Primed metal door RAL 7001 and glass window. Retractable door closer.

Fire-rated doors:
BELGIUM, BS476-UK, EI 120, EW 60

FINISHES

- RAL painting



E PANORAMIC IRON

Primed metal door RAL 7001 and ample glass window. Retractable door closer.

FINISHES

- RAL painting




V1 PANORAMIC TOTAL GLASS

Transparent glass door with (polished or satin) anodised aluminium hinges, handrail and frame. Safety buffer embedded in the crossbeams.

DOOR HANDLE

Natural anodised stainless steel handrail. Also available in golden anodised stainless steel. Only for panel landing doors (B-BT, C, D and E type).



AUTOMATIC SLIDING LANDING AND CAR DOORS

Available with blind or window panels. Primed metal frame RAL 7001. Available finishes: RAL painting and plastic coated sheet steel, stainless steel, plastic coated or adhesive vinyl.



2AT

2 framed glass telescopic panels with side opening.

Fire-rated doors:
EI 60 GOST 30247.3
E120 - EW30
EI120



3AT

3 framed glass telescopic panels with side opening



2AO

2 framed glass telescopic panels with centre opening.



4AO

4 framed glass telescopic panels with centre opening



CAR FOLDING DOORS

With manual or automatic opening. Available in aluminium (natural anodised or RAL painted) or satin stainless steel. It can be matched only with swing landing doors. It can be matched only with swing landing doors.

Technical features



HYDRAULIC

- Complying with European 2006/42/EC Machinery Directive
- Machine roomless hydraulic drive
- Direct telescopic suspension or roping version
- Load up to 300 kg
- Stops up to 7, travel 12 m
- Pit starting from 55 mm, headroom from 2350 mm
- Speed 0.15 m/s



Special features for XL model:

- Pit 120 mm min
- Headroom 2500 mm min
- Stops up to 7, travel 17 m
- Rated power 2.2 kW for 400 kg load
- 1 or 2-piece ram



Dimensions (mm)	min	max
Car	480 x 550	1200 x 1500
Masonry shaft (internal dim.)	670 x 820	1560 x 1750
Shaft structure (external dim.)	650 x 910	1730 x 1770

Shaft and shaft structure dimensions depend on access number and layout.



Dimensions (mm)	min	max
Car	800 x 1000	1200 x 1500
Masonry shaft (internal dim.)	1160 x 1275	1635 x 1775
Shaft structure (external dim.)	1340 x 1385	1810 x 1880





ELECTRIC GEARLESS WITH COUNTERWEIGHT

- Complying with European 2006/42/EC Machinery Directive
- Machine roomless (MRL)
- Gearless machine, with counterweight
- Load up to 400 kg
- Stops up to 7, travel 20 m
- Pit 200 mm, headroom 2500/2600 mm
- Speed 0.15 m/s
- Extremely silent (50 dBA)
- Minimum consumptions (0,031 kW in standby)




Dimensions (mm)	min	max
Car	800 x 1100	1100 x 1400
Masonry shaft (internal dim.)	1320 x 1250	1650 x 1550
Shaft structure (external dim.)	1530 x 1570	1830 x 1660

Shaft and shaft structure dimensions depend on access number and layout.




Dimensions (mm)	min	max
Car	800 x 1100	1100 x 1400
Masonry shaft (internal dim.)	1310 x 1390	1610 x 1690
Shaft structure (external dim.)	1490 x 1490	1780 x 1785

SINGLE ACCESS




2-ADJACENT ACCESS



2-OPPOSITE ACCESS



3-ACCESS



Power unit

The standard controller is provided in a special cabinet of small dimensions. It can be easily installed in the cellar or garage, because it can be installed up to 7 metres far from the DomusLift.

Cabinet dimensions:

- 1 DomusLift hydraulic: **600 x 280 x h 1000/1160 mm**
- 2 DomusLift electric gearless with counterweight: **600 x 280 x h 1160 mm**
Model embedded in the door frame: **370 x 200 x h 2285 mm.**
- 3 DomusLift XL hydraulic: **720 x 360 x h 1500 mm** for travels up to 12 m
950 x 400 x h 1850 mm for travels > 12 m

Cabinet supplied as standard with RAL 1015 painting.



Leading company in the production of customised products since 1966.

Founded by Giuseppe Volpe in 1966, IGV Group is worldwide renown for the design and production of Domuslift lifting platforms and lifts with reduced pit and headroom. IGV exports to more than 70 countries 65% of its total production, representing the excellence of Made in Italy. For more than 50 years, IGV has been designing and manufacturing thousands of solutions for the vertical mobility, specialising in bespoke systems and exporting worldwide the Made in Italy style and innovative technology.



References

More than 30,000 DomusLift lifting platforms installed in apartments, villas, shops, hotels and museums worldwide.

Calvin Klein | Milan, **Italy**
 Diesel store | London, **UK** - Milan, **Italy**
 Furla shop | Paris, **France**
 Cesare Paciotti | Milan, **Italy**
 Chanel boutique | Venice, **Italy**
 Hugo Boss store | Kortrijk, **Belgium**
 Roberto Cavalli store | Madrid, **Spain**
 Birmingham Airport | Birmingham, **UK**
 John Lennon Airport | Liverpool, **UK**
 Boscolo Hotel | Milan, **Italy**
 Hotel Principe di Savoia | Milan, **Italy**
 Rolling Stones World Tour | **World Tour**
 Buccellati | Milan, **Italy**
 Gorky Park | Moscow, **Russia**
 Unicredit Bank | Florence - Milan, **Italy**
 Apple store | **UK**
 Sydney Yacht Club | Sydney, **Australia**
 Sydney Opera House | Sydney, **Australia**
 A.K. Motiwala Jewellers | Mumbai, **India**
 Sajala Villas, Sankpal Group | Lonavala, **India**
 Heysel Stadium | Brussels, **Belgium**



Member of



Certified by



HOISTWAY
 Elevating Expectations

WWW.HOISTWAY.CO.UK

Carey's Courtyard, Parrett Works,
 Martock, Somerset. TA12 6AE.

Tel: 01935 823 369

e-mail: info@hoistway.co.uk



Lifts since 1966

IGV Group SpA

Via Di Vittorio, 21
 20060 Vignate, Milan - Italy

Tel. +39 02 951271

www.igvlift.com

www.domuslift.com